

SUPPLEMENT TO

The Gazette



सत्यमेव जयते

of India

No. 14]

NEW DELHI, SATURDAY, APRIL 14, 1956

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 17th March, 1956

CHOLERA								SMALLPOX								PLAGUE															
C.								D.								C.								D.							
STATES PART (A) AND PART (C)																Assam—Contd.															
Ajmer																(Estd. mid-year pop. 9,817 thousands.)															
TOTAL																Total for w/e 10-3-56															
(Estd. mid-year pop. 752 thousands.)																Total for w/e 3-3-56															
Total for w/e 10-3-56																7-yearly mean for the week															
Total for w/e 3-3-56																7-yearly mean for the week															
7-yearly mean for the week																Bhopal															
Andhra																N.R.															
Srikakulam																Bihar															
Visakhapatnam																N.R.															
Godavari East																Bombay															
Godavari West																Greater Bombay															
Krishna																Ahmedabad															
Guntur																Kaira															
Nellore																Broach															
Eluru																Panch Mahal															
Cuddapah																Surat															
Anantapur																Thana															
Chittoor																Ahmednagar															
TOTAL																East Khandesh															
Estd. mid-year pop. 21,238 thousands.)																West Khandesh															
Total for w/e 10-3-56																Amreli															
Total for w/e 3-3-56																Poona															
7-yearly mean for the week																Satara North															
Assam																Sholapur															
Kamrup																Sabarkantha															
TOTAL																Belgaum															
																Bijapur															

Explanation of Symbols used : C.—Cases ; D.—Deaths ; ..—Nil.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 17th March, 1956—*contd.*

CHOLERA								SMALLPOX								PLAGUE								CHOLERA								SMALLPOX								PLAGUE							
C.		D.		C.		D.		C.		D.		C.		D.		C.		D.		C.		D.		C.		D.		C.		D.		C.		D.													
Bombay—contd.																Madras—Contd.																															
Mehsana	14	North Arcot	7	5	South Arcot	9	2	Mathural	2									
anaskantha	46	8	South Arcot	9	2	Mathural	2	Ramnathapura	5	1									
TOTAL	.	2	..	302	37	Mathural	2	Ramnathapura	5	1	Tirunelveli	14	4								
(Estd. mid-year pop. 39,569 thousands.)																	5	1	Tirunelveli	14	4	Malabar	13	6		
otal for w/e 10-3-56	.	2	..	307	27	Malabar	13	6	South Kanara	1	TOTAL	57	18	(Estd. mid-year pop. 38,273 thousands.)									
otal for w/e 3-3-56	310	47	South Kanara	1	TOTAL	57	18	Total for w/e 10-3-56	93	16			
yearly mean for the week	.	7	2	612	88	Total for w/e 3-3-56	77	25	7-yearly mean for the week	181	94	140	36	
Coorg																																															
TOTAL																																						
(Estd. mid-year pop. 262 thousands.)																																															
Total for w/e 10-3-56																																						
Total for w/e 3-3-56																																						
7-yearly mean for the week	2																																						
Delhi																Manipur																															
Delhi City	8	TOTAL	9	3	Estd. mid-year pop. 613 thousands.)																											
New Delhi	4	Estd. mid-year pop. 613 thousands.)									Total for w/e 10-3-56	Total for w/e 3-3-56			
Delhi Notified Area	1	5	Total for w/e 10-3-56	Total for w/e 3-3-56								
TOTAL	13	5																																						
(Estd. mid-year pop. 17,44 thousands)																																															
Total for w/e 10-3-56	13	5																																						
Total for w/e 3-3-56	28	6																																						
7-yearly mean for the week	9	1																																						
Himachal Pradesh																Orissa																															
Mahasu	1	Cuttack	3	Balasore	2	Puri	6								
Total	1	Sambalpur	1	Sambalpur	1	Sambalpur	1								
(Estd. mid-year pop. 1,003 thousands.)																																															
Total for w/e 10-3-56	Ganjam Plains	3	Ganjam Plains	3	Ganjam Plains	3								
Total for w/e 3-3-56	Koraput	1	Koraput	1	Koraput	1								

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 7th March, 1956—*contd.*

	CHOLERA		SMALLPOX		PLAGUE			CHOLERA		SMALLPOX		PLAGUE	
	C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.
Orissa—contd.							Uttar Pradesh—contd.						
(Estd. mid-year pop. 15,114 thousands.)							Mirzapur
Total for w/e 10-3-56	3	2	35	3	Jaunpur
Total for w/e 3-3-56	14	6	60	Gorakhpur
7-yearly mean for the week	80	44	194	22	Deoria
							Almora
Punjab (I)							Garhwal
Hissar	10	1	—	—	Sitapur
Rohtak	2	..	—	—	Kheri
Hoshiarpur	1	—	—	Bahraich
Jullundur	1	..	—	—	Rampur
Ferozepur	3	2	TOTAL	32	7	..
TOTAL	16	4							
(Estd. mid-year pop. 12,641 thousands.)							(Estd. mid-year pop. 66,780 thousands.)						
Total for w/e 10-3-56	12	2	Total for w/e 10-3-56	35	10	2
Total for w/e 3-3-56	20	4	Total for w/e 3-3-56	29	5	2
7-yearly mean for the week	23	4	7-yearly mean for the week	.	.	.	15	5	166
											43	139	43
Tripura							Vindhya Pradesh						
TOTAL	3	N.R.						
(Estd. mid-year pop. 706 thousands.)							West Bengal						
Total for w/e 10-3-56	2	2	1	Burdwan	.	.	.	13	4	7
Total for w/e 3-3-56	1	2	Birbhum
							Bankura
Pondicherry							Midnapur	.	.	.	6	5	3
Total	48	28	Hooghly	.	.	.	7	4	14
							Howrah	.	.	.	8	5	3
Uttar Pradesh													
Mainpuri	5	2							
Bareilly	2							
Kanpur							

ported attacks and deaths from cholera, smallpox plague and typhus in districts in India during the week ending the 17th March, 1956—*contd.*

C OLERA SMALLPOX PLAGUE

— C. D. C. D. C. D.

West Bengal—*contd.*

Dist Dinajpur	2
Malgaon	1
North Behar	1

Total . 54 30 62 22

Estd. mid-year pop.
26,396 thousands.)

Total for w/e 10-3-56 . 32 14 40 16

Total for w/e 3-3-56 . 36 20 28 11

7-yearly mean for the week . 321 141 260 94

Grand Total for States Parts
excluding Bhopal, Bihar,
Madhya Pradesh and Vindhya
Pradesh (A) and (C) 366 134 817 189 4 4

Corresponding (Estd. mid-year
pop. 234,908 thousands.)

Corresponding Total for
w/e 10-3-56 . 197 73 803 133 8 ..

Corresponding Total for
w/e 3-3-56 . 102 34 854 163 16 4

Corresponding 7-yearly
mean for the week . 716 341 1876 369 139 43

STATES PART (B)

Hyderabad

Aurangabad	11
Bidhar	1
Rajchur	.	.	.	109	28

CHOLERA SMALLPOX PLAGUE

C. D. C. D. C. D.

Jammu and Kashmir

"N.R."

Madhya Pradesh

"N.R."

Mysore

Kolar	24	8
Chikmagalur	11	2
Bellary	.	.	.	2	1	4
Chitaldrug	1	2
TOTAL	.	.	2	1	16	4	24	8	

Patiala and East Punjab States Union

TOTAL

Rajasthan

"N. R."

Saurashtra

Zalawad	1
TOTAL	1	

Travancore-Cochin

"N. R."

Grand total for States Part (B)	.	.	.	148	38	42	8	24	8
Grand total for States Parts (A), (B) & (C)	.	.	.	514	172	859	197	28	12

ARREAR INFORMATION

Punjab

w/e 10-3-56

Rohtak	5	2
Ambala	4
Jullundur	1
Ferozpur	2

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 17th March, 1956.—*concl.*

CHOLERA								SMALLPOX								PLAGUE							
		C.		D.		C.		D.		C.		D.		C.		D.		C.		D.			
Rajasthan								Delhi—contd.															
w/e 25-2-56								w/e 10-3-56															
TOTAL	30	4	Delhi city	9		
									New Delhi	3		
									Delhi Notified area	5		
									Rural circles	1		
TOTAL	TOTAL	13	5		
POLIOMYELITIS																							
(Information based on Patients treated in hospitals in important towns)																							
Place										Period										Cases			
New Delhi										16—31 Jan, 1956										18			
Andaman and										15—18 Jan, 1956										3			
Nicobar Islands																							

POLIOMYELITIS

(Information based on Patients treated in hospitals in important towns)

Place	Period	Cases
Madras	16—31 Jan, 1956	18
Andaman and Nicobar Islands	15—18 Jan, 1956	3

Explanation of Symbols used : C Cases D= Deaths : .. =Nil.

NEW DELHI-2 (INDIA) ;

The 9th April, 1956.

K. MITRA,

for Registrar General, India.

Prosper with the NATION

INVEST YOUR SAVINGS IN

GOVERNMENT OF INDIA'S *Small Savings Scheme*

and help India's

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS
- SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL SAVINGS CERTIFICATES	Interest at 4.16 per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES	3½ per cent interest paid annually. Available in multiples of Rs. 100/- upto Rs. 25,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR NATIONAL PLAN CERTIFICATES	Interest at 4½ per cent per annum at maturity. Issued in denominations of Rs. 25/-, Rs. 50/-, Rs. 100/- & Rs. 500/-. Individual holding upto Rs. 1,000/-.
POST OFFICE SAVINGS BANK ACCOUNTS	2 per cent interest added on deposits upto Rs. 10,000/- and 1½ per cent on balance upto Rs. 15,000/-.
15-YEAR ANNUITY CERTIFICATES	
Issue Prices: Rs. 3,500/-, Rs. 7,000/-, Rs. 14,000/- & Rs. 28,000/-. Individual holding upto Rs. 28,000/-.	Refunded together with compound interest at 3½ per cent per annum in the form of monthly payments spread over a period of fifteen years.

YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX

For further particulars and/or rules governing these investments please write to the National Savings Commissioner Simla, or to the Regional National Savings Officer of your State.

INVEST IN INDIA'S FUTURE

Births and Deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 17th March, 1956

Town	Mid-year Popn. Est. (000)	Deaths from—										Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.				
STATIS—(Parts A and C)														
Ajmer														
Ajmer . . .	223	121	28.1	8	2	8	..	48	11.2	12	
Banwar . . .	59	12	10.6	7	..	2	1	12	10.6	6	
TOTAL . . .	282	133	24.5	15	2	10	1	60	11.1	8	
Andhra														
Adoni . . .	63	51	42.1	1	4	..	17	14.0	6	
Anantpur . . .	38	32	43.8	1	..	2	..	10	13.7	..	
Anakapalli† . . .														
Bhimayaram . . .	36	32	46.2	1	..	1	..	8	11.6	1	
Chirala . . .	43	16	19.3	2	6	7.3	2	
Chittoor† . . .														
Cuddapah . . .	42	14	17.3	2	..	10	12.4	2	
Eluru . . .	99	47	24.7	..	2	..	8	..	4	..	41	21.5	7	
Gudivada . . .	36	17	24.6	2	12	17.3	3	
Guntur† . . .														
Guntakal . . .	37	23	32.3	..	1	..	3	1	1	..	14	19.7	2	
Kakinada . . .	130	37	17.0	..	4	..	12	27	12.4	..	
Kurnool . . .	68	47	36.0	..	2	..	1	..	2	2	23	17.6	4	
Masulipatnam . . .	88	69	40.9	2	..	1	..	9	5.3	3	
Nandyal . . .	37	29	40.7	2	12	16.9	2	
Nellore . . .	95	79	43.2	5	4	2	..	62	33.9	22	
Proddatur† . . .														
Rajahmundry . . .	122	69	29.4	..	3	..	9	..	1	..	28	11.9	7	
Tenali . . .	67	51	39.5	..	1	..	2	2	3	..	23	17.9	4	
Vijayavada . . .	201	121	31.3	..	3	..	15	4	8	..	64	16.6	12	
Visakhapatnam . . .	128	66	26.8	..	1	..	7	1	9	..	36	14.6		
Vizianagaram . . .	75	36	25.0	5	3	1	..	25	17.3	7	
TOTAL . . .	1,405	836	30.9	2	17	..	73	18	41	2	427	15.8	92	
Assam														
"N.R."														
Bhopal														
"N.R."														
Bihar														
Arrah . . .	70	16	11.9	3	5	3.7	..	
Bihar . . .	68	28	21.4	3	7	5.4	..	
Bettiah . . .	38	3	4.1	2	2.7	..	
Bhagalpur . . .	126	30	12.4	3	20	8.3	..	
Chapra† . . .														
Darbhanga . . .	93	22	12.3	2	1.1	..	
Dhanbad . . .	41	8	10.2	
Dinapur . . .	44	6	7.1	2	2	7	8.3	..	
Gaya . . .	149	17	5.9	12	1	22	..	51	17.8	..	
Hazaribagh . . .	39	44	58.7	13	17.3	2	
Jamalpur . . .	47	10	11.1	1	5	5.5	..	
Jamshedpur . . .	246	105	22.2	1	..	3	..	19	4.0	6	
Katihar . . .	51	
Monghyr . . .	80	5	3.3	3	4	2.6	..	
Muzaffarpur . . .	84	16	9.9	7	..	1	..	15	9.3	..	
Purulla . . .	47	7	7.7	2	3	3.3	..	
Patna . . .	330	167	26.3	..	3	..	3	..	2	..	47	7.4	..	
Ranchi . . .	130	20	8.0	5	10	4.0	3	
TOTAL . . .	1683	504	15.6	..	3	..	45	1	28	2	210	6.5	11	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used: B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..=Nil information; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 17th March, 1956—*concl'd.*

Town	Mid-year Popn.- Est. (000)	Deaths from :—											D.R.*	I.D.
		B.	B.R*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total			
Bombay		"N.R."												
Delhi State														
Delhi City	1,124	509	23.5	49	5	30	..	445	6.7	39	
New Delhi	374	303	42.1	3	..	6	1	50	6.9	11	
NAC Civil Station, Delhi	117	61	27.1	..	5	..	2	3	4	..	16	7.1	3	
Delhi-Cantt	50	10	10.4	
Delhi-Shahdra	53	43	42.2	3	1	1	..	9	8.8	3	
TOTAL	1718	926	28.0	..	5	..	57	9	41	1	220	6.7	56	
Madhya Pradesh		"N.R."												
Madras														
Ambur	44	33	39.3	1	3	3	..	7	8.3	..	
Aruppukottai	56	33	30.6	1	1	3	..	10	9.3	3	
Bodinayakanur	40	21	27.3	3	..	7	9.1	4	
Cannanore	47	31	34.3	2	10	11.1	3	
Chidambaram	39	47	62.7	2	13	17.3	6	
Coimbatore	234	251	55.8	2	16	16	1	85	18.9	22	
Cuddalore	74	66	47.7	1	1	1	..	23	16.6	3	
Dindigul	90	67	38.7	1	2	..	42	24.3	9	
Erode	67	85	66.0	3	1	1	..	20	15.5	6	
Gobichetty †	
Palayam	38	17	23.3	4	5.5	..	
Guddiyattam	53	41	40.2	2	2	..	12	11.1	2	
Kancheepuram	90	70	40.4	2	18	1	34	9.6	8	
Karaikudi	44	29	34.3	3	1	1	..	13	15.4	2	
Karur	50	28	29.1	7	7.3	..	
Kozhikode	176	202	59.7	2	2	12	..	66	19.5	11	
Kumbakonam	105	99	49.0	4	3	6	1	43	21.3	9	
Madras	1,703	1340	40.9	85	88	190	2	718	21.9	210	
Mangalore	136	87	33.3	2	1	6	..	48	18.4	3	
Mathurai	427	470	57.2	15	18	58	4	209	25.5	57	
Mayuram	49	49	52.0	1	..	2	..	12	12.7	2	
Melapalayam	41	13	16.5	1	1	..	7	8.9	3	
Nagapattinam	60	72	62.4	2	1	2	..	16	13.9	6	
Ootacamund	48	36	39.0	1	4	..	14	15.2	2	
Palani	40	26	33.8	1	..	6	..	14	18.2	4	
Palayamkottai †	
Palghat	77	40	27.0	3	..	3	1	25	16.0	3	
Periyakulam	34	19	29.1	1	..	8	12.2	1	
Pollachi	51	38	38.7	1	1	2	..	11	11.2	5	
Pudukottai	50	40	41.6	1	..	16	16.6	4	
Rajapalayam	69	38	28.6	4	6	..	25	18.8	2	
Salem	241	149	32.1	8	5	14	..	64	13.8	5	
Srirangam	42	30	37.1	1	3	1	15	18.6	5	
Srivilliputtur	44	39	46.1	1	1	15	17.7	5	
Tanjore	118	115	48.5	3	3	3	..	50	22.7	14	
Tellicherry	42	43	53.2	2	..	3	..	12	14.9	1	
Tiruchirapalli	251	205	42.5	6	15	10	2	96	19.9	18	
Tirunelveli	80	74	48.1	..	1	..	1	7	5	..	34	22.1	11	
Tiruppur	63	57	47.0	3	..	7	2	24	19.8	5	
Tiruvannamali	45	35	40.4	1	2	2	1	15	17.3	5	
Tuticorin	111	80	37.5	4	13	..	44	20.6	..	
Vaniyambadi	43	38	46.0	2	..	2	..	11	13.3	3	
Vellore	124	115	48.2	2	3	13	1	51	21.4	14	
Villupuram	39	46	41.3	3	1	12	16.0	4	
Virudunagar	53	69	67.7	1	3	..	10	9.8	..	
TOTAL	5328	4478	43.7	..	1	..	162	189	431	18	1972	19.2	480	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available

Explanation of symbols used :—B. = Births; B.R. = Birth Rate; C. = Cholera; S. = Smallpox; P. = Plague; F. = Fevers; D.D. = Dysentery and Diarrhoea; R.D. = Respiratory Diseases; M.D. = Maternal Deaths; D.R. = Death Rate; I.D. = Infantile Deaths (included in total deaths); .. = Nil information. "N.R." = Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 17th March, 1956—*contd.*

Deaths from :—													
Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D
Orissa													
Berhampur	72	75	54.3	2	2	1	..	11	8.0	1
Cuttack	117	138	61.6	8	1	5	..	39	17.4	6
Puri	53	47	46.3	5	2	2	..	19	18.7	5
TOTAL	242	260	55.9	—	—	..	15	5	8	..	69	14.8	12
Punjab (I)													
Ambala	65	49	39.4	2	2	2	..	13	10.5	6
Amritsar	343	345	52.6	4	14	1	63	9.5	25
Batala	62	53	44.7	—	8	1	1	..	11	9.3	3
Bhiwani	57	43	39.4	..	1	..	5	1	1	..	12	11.0	3
Ferozepore	45	32	37.2	3	1	1	..	5	5.8	2
Hissar	39	17	22.8	3	..	1	..	6	8.0	2
Hoshiarpur	51	33	33.8	1	..	4	4.1	..
Jullundur	200	122	31.9	5	2	11	..	23	6.0	3
Karnal	72	36	26.1	1	..	2	..	7	5.1	2
Ludhiana	176	131	38.9	18	..	1	..	25	7.4	3
Moga	41	15	19.1	3	..	8	10.2	3
Panipat	64	46	37.6	11	13	10.6	5
Pathankot	34	38	58.6	1	2	3.1	..
Rewari	36	17	24.7	1	..	1	..	3	4.4	2
Rohtak	105	65	32.4	5	..	2	..	13	6.5	6
Simla	50	29	30.3	1	..	3	3.1	1
Sonapat	34	23	35.4	2	3	4.6	1
TOTAL	1,474	1,094	38.6	..	1	..	64	11	42	2	214	7.5	67
Uttar Pradesh													
Agra	375	216	30.1	3	35	..	83	11.6	19
Allahabad	349	142	21.3	2	..	15	1	48	7.2	14
Amroha	61	67	57.4	1	7	..	14	12.0	9
Bahraich	47	24	37.8	3	1	21	23.4	8
Banaras	383	304	41.5	..	2	..	55	17	32	..	205	28.5	42
Ballia	35	12	17.9	3	9	13.4	52
Banda	32	22	35.9	1	2	3.3	..
Barilly	203	83	21.4	8	..	8	..	20	5.1	5
Bijnor†
Budaun	54	33	31.9	8	..	9	8.7	2
Basti†
Bulandshahr†
Chandausi	41	37	46.9	5	1	2	..	8	10.1	1
Dehra Dun	146	48	17.2	2	..	4	..	16	5.7	8
Etawah†
Faizabad-Ayodhya	88	60	35.6	1	11	6.5	5
Farrukhabad-Fatehgarh	82	44	28.0	4	3	4	..	21	13.4	8
Firozabad	79	39	25.8	5	..	2	..	8	5.3	2
Gaziabad	46	24	27.3	2	3	3.4	1
Gazipur	36	24	27.3	4	3	15	21.8	1
Gorakhpur	140	134	50.0	9	4	4	..	30	11.2	8
Gonda	35	19	28.4	1	..	1	..	5	7.5	..
Hapur†
Hardwar	64	43	35.1	6	1	5	..	16	13.1	6
Hathras	62	40	33.7	4	1	3	..	9	7.6	3
Jaulpur	56	22	20.5	4	..	3	..	10	9.3	2
Jhansi	116	96	43.3	11	1	1	..	21	9.5	6

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—(Infantile Deaths included in total deaths) ; ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 17th March, 1956—*contd.*

Deaths from 1—

Town	Mid-year Popn.-Est. (000).	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Uttar Pradesh—<i>contd.</i>													
Kanpur	734	406	28.9	108	17	36	6	282	20.1	81
Kasganj	34	10	15.4
Khurja	41	24	30.6	4	2	3	..	9	11.4	2
Koil-Aligarh	150	120	41.8	4	2	3	..	21	7.3	4
Lucknow	494	584	61.8	14	3	17	..	98	10.4	14
Mathura	110	71	33.7	6	2	13	..	30	14.2	9
Mau-Nath Bhanjant													
Meerut	185	99	28.0	7	2	4	..	18	5.1	6
Mirzapur-Vindhyachal	97	45	24.2	..	2	..	7	1	3	..	20	10.8	3
Moradabad	164	110	35.1	6	1	12	..	32	10.2	..
Muzaffarnagar	74	33	23.3	7	13	9.2	1
Pilibhit	45	50	58.1	7	1	2	..	13	15.1	2
Rampur	158	7	2.3	1	..	1	0.3	4
Saharanpur	162	126	40.7	25	..	3	..	39	12.6	9
Sambhal	65	50	40.2	8	2	6	..	19	15.3	4
Shahjahanpur†													
Sitapur	49	35	37.1	4	..	3	..	9	9.6	2
TOTAL	5,092	3,303	33.7	..	2	..	337	69	240	7	1,192	12.2	296

West Bengal

"N. R."

STATES—(Part B)

Jammu & Kashmir

"N. R."

Madhya Bharat

Greater Gwalior	273	29	5.5	2	..	1	..	12	2.3	..
Indore	368	133	18.8	15	..	5	1	83	11.7	29
Ujjain	156	53	17.7	..	11	..	8	42	14.0	2
Ratlam	73	19	13.5	3	..	12	8.5	1
Mandsaur	41	10	12.7	1	4	5.1	2
TOTAL	911	244	13.9	..	11	..	26	..	9	1	153	8.7	34

Mysore

Bangalore	977	594	32.6	10	66	110	..	285	15.2	..
Mysore	294	126	22.3	16	2	5	..	61	10.8	..
Kolar Gold Fields	173	86	25.8	4	8	2	..	30	9.0	..
Bellary	79	19	12.5	..	1	..	1	1	7	..	31	20.4	..
Davangere	69	51	39.4	1	5	3.8	..
Hospet	45	28	32.4	5	5.8	..
TOTAL	1,637	904	28.7	..	1	..	32	77	124	..	417	13.2	..

PEPSU

Patiala City	111	84	39.4	10	..	3	1	38	17.8	13
Malerkotla	34	35	53.5	6	..	1	..	7	10.7	1
Bhatinda	39	21	28.0	2	..	2	..	4	5.3	1
TOTAL	184	140	39.6	18	..	4	1	49	13.8	15

Rajasthan

"N. R."

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 17th March, 1956—*contd.*

Deaths from 1—														
Town	Mid.-year Popn.-Est (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
Travancore-Cochin														
Alleppey	148	144	50.6	1	2	1	28	9.8	5	
Changanacherry †	
Ernakulam	70	64	47.5	.	.	.	2	.	1	.	19	14.1	1	
Kottayam	50	23	23.9	
Mattanchery	85	90	55.1	11	6.7	2	
Nagercoil	94	23	12.7	1	3	15	9.3	2	
Quilon	75	77	53.4	1	1	..	23	15.9	3	
Trichur	76	83	56.8	1	..	16	10.9	..	
Trivandrum City	218	80	19.1	2	1	1	..	14	3.3	1	
TOTAL	816	584	37.2	5	6	6	1	126	8.0	14	
Saurashtra														
Bhavnagar	157	68	22.5	12	..	3	..	48	15.9	11	
Dhoraji	46	35	38.7	3	1	11	12.2	..	
Gondal	41	23	29.2	3	6	7.6	..	
Jamnagar	122	93	39.6	..	1	..	12	1	3	..	30	12.8	..	
Junagadh	65	31	24.8	7	2	2	..	15	12.0	..	
Morvi	43	11	13.3	4	..	1	..	5	6.0	1	
Porbandar	64	17	13.8	4	1	1	..	15	12.2	8	
Rajkot	167	81	25.2	16	1	7	..	32	10.0	10	
Surendranagar	42	8	9.9	1	5	6.1	2	
Veraval	46	21	23.7	6	..	4	..	10	11.3	1	
TOTAL	793	388	25.4	..	1	..	68	6	21	.	177	11.6	33	
Hyderabad														
Aurangabad	73	7	5.0	3	2.1	..	
Bidar†	
Gulbergat†	
Hyderabad City	1,057	374	18.4	20	1	7	..	91	4.5	14	
Jalna†	
Kothagudiam	71	48	35.1	4	2.9	..	
Latur	41	2	..	1	..	3	3.8	..	
Nanded	80	13	11.7	8	8	5.2	..	
Nizamabad	67	23	17.9	2	..	1	..	5	3.9	2	
Parbhani	40	6	7.8	..	1	..	1	2	2.6	1	
Raichur†	
Secunderabad City	161	145	46.5	2	1	8	1	29	9.3	8	
Warangal	155	25	8.4	7	..	2	..	15	5.0	..	
TOTAL	1,746	646	19.2	..	1	..	42	2	19	1	160	4.8	25	

ARREAR RETURNS

for w/e 3-3-56

Bombay															
Ahmedabad	.	.	889	637	40.1	..	10	..	28	12	108	..	363	21.2	..
Ahmednagar	.	.	88	94	56.6	2	1	5	1	21	12.4	5
Amalner	.	.	50	22	22.8	8	5	18	18.7	1
Bagalkot	.	.	36	22	31.8	3	..	1	..	6	8.7	..
Baroda	.	.	242	196	42.1	8	1	14	1	68	14.6	4
Barsi	.	.	46	10	11.3	2	3	3.4	..
Belgaum	.	.	110	62	29.2	5	3	..	30	14.2	8
Bhusawal	.	.	62	21	17.6	2	..	1	..	5	4.2	1
Bijapur	.	.	75	59	40.9	2	2	3	..	22	15.3	..

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used: B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); .—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 17th March, 1956—*contd.*

Deaths from :—														
Town	Mid.-year Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
Bombay—contd.														
Broach	67	60	46.5	7	..	1	..	18	13.9	1	
Cambay	41	26	33.0	2	..	3	..	10	12.4	..	
Chalisgaon	35	24	35.7	1	..	1	..	2	3.0	..	
Dharwar	76	44	30.1	4	1	1	4	23	15.7	..	
Dhulia	89	86	50.2	2	1	..	1	15	8.7	3	
Gadag Betageri	71	60	44.0	6	1	..	5	27	19.8	..	
Godra	40	34	44.2	3	..	3	..	12	15.5	1	
Greater Bombay	1,449	1,389	20.9	..	3	22	104	1	626	9.4	156	
Hubli	148	53	18.5	1	..	3	1	17	6.1	1	
Jalgaon	79	120	78.9	4	..	3	2	26	17.1	2	
Kalyan	73	21	15.0	1	..	5	3.5	..	
Kolhapur	159	90	29.4	2	3	5	..	28	9.2	11	
Malegaon	63	35	29.7	9	11	9.1	..	
Miraj†	
Nadlad	71	49	35.8	16	2	20	12.4	4	
Nandurbar	35	31	46.1	1	..	1	..	7	10.4	3	
Nasik	119	51	22.3	3	3	7	2	44	19.2	9	
Navsari	50	36	37.4	4	..	1	..	13	13.5	3	
Pandharpur	44	36	42.5	3	2	3	..	13	15.4	3	
Patan	47	38	37.8	..	1	..	7	..	4	..	20	22.1	4	
Poona	607	286	24.5	2	3	29	..	122	10.5	33	
Sangli	58	15	13.4	3	8	7.2	..	
Satara	40	25	32.5	1	..	2	..	6	7.8	2	
Sholapur†	
Surat	250	179	37.2	..	13	..	17	2	25	..	116	24.1	29	
Thana†	
TOTAL	7,309	3,962	28.2	..	17	..	155	64	332	20	1,725	12.3	284	
Delhi State														
For w/e 18-2-56														
Delhi City	1,124	536	24.8	36	2	43	1	139	6.4	32	
New Delhi	374	261	36.3	3	..	3	..	50	6.9	14	
N.A.C. Civil Station Delhi	117	66	29.3	..	3	..	1	2	2	..	21	9.3	8	
Delhi Cantt.	50	10	10.4	
Delhi-Shahdara	53	40	39.2	2	..	2	..	6	5.8	2	
TOTAL	1,718	913	27.6	..	3	..	42	4	50	1	216	6.5	56	
Delhi State														
For w/e 25-2-56														
Delhi City	1,124	568	26.3	58	4	44	1	147	8.0	39	
New Delhi	374	342	47.5	4	..	6	..	74	10.3	14	
N.A.C. Civil Station, Delhi	117	68	30.2	..	1	1	2	..	9	4.0	4	
Delhi Cantt.	50	31	32.2	1	1.0	1	
Delhi-Shahdara	53	54	53.0	5	8	7.8	..	
TOTAL	1,718	1,063	32.2	..	1	..	67	5	52	1	266	8.1	58	
Delhi State														
For w/e 3-3-56														
Delhi City	1,124	554	25.6	49	5	41	1	165	7.6	33	
New Delhi	374	249	34.6	4	..	10	..	491	12.6	14	
N.A.C. Civil Station, Delhi	117	73	32.4	..	6	3	..	219	8.4	4	
Delhi Cantt.	50	10	10.4	
Delhi-Shahdara	53	43	42.2	3	..	1	..	7	6.9	4	
TOTAL	1,718	929	28.1	..	6	..	56	5	55	1	282	8.5	55	
Delhi State														
For w/e 10-3-56														
Delhi City	1,124	495	22.9	45	1	32	..	146	6.7	32	
New Delhi	374	318	44.2	6	..	7	..	42	5.8	7	
N.A.C. Civil Station, Delhi	117	69	30.6	..	5	..	1	2	5	..	17	7.5	2	
Delhi Cantt.	50	19	19.7	
Delhi Shahdara	53	34	33.4	1	5	4.9	3	
TOTAL	1,718	935	28.3	..	5	..	53	3	44	..	210	6.4	44	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.=Births ; B.R.=Birth Rate ; C.=Cholera ; S.=Smallpox ; P.=Plague ; F.=Fever ; D.D.=Dysentery and Diarrhoea ; R.D.=Respiratory Diseases ; M.D.=Maternal Deaths ; D.R.=Death Rate ; I.D.=Infantile Deaths (included in total deaths) ; ..=Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 17th March, 1956—*contd.*

Town	Mid-year Popn.-Est (000)	B.	Deaths from :—										Total	D.R.*	I.D.
			B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
Punjab			For w/e 10-3-56												
Moga	41	33	42.1	4	..	7	8.9	1		
West Bengal			For w/e 18-2-56												
Asansol†															
Baidyabati . .	33	8	12.7	1	..	2	3.2	1		
Bally	66	6	4.8	2	1.6	..		
Bankura	50	1	1.0	1	1.0	..		
Bansberia †															
Baranagar . . .	90	32	18.6	3	4	5	..	20	11.6	3		
Basirhat	39	8	10.7		
Berhampur . . .	64	48	39.2	8	6.5	2		
Bhadreshwar . .	34	7	10.8	1	2	3.1	..		
Bhatpara	143	35	12.8	12	2	5	1	26	9.5	5		
Budge Budge . .	32	1	1.6	1	1.6	..		
Burdwan	82	24	15.3	2	1	..	1	10	6.4	..		
Calcutta	2,984	1,220	21.4	..	1	..	28	49	143	..	623	10.9	172		
Campdani	41	20	25.5	1	..	5	6.4	..		
Cooch Behar†															
Darjeeling . . .	38	25	34.4	4	..	1	..	8	11.0	..		
English-Bazar . .	36	24	34.9	2	2.9	..		
Garden Reach . .	124	12	5.1	1	..	4	..	7	3.0	1		
Halisahar	41	2	2.6		
Hoogly-Chinsurah .	60	67	58.4	2	7	6.1	2		
Howrah	477	123	13.5	4	4	27	1	107	1.7	36		
Jalpaiguri	49	11	11.7	3	3.2	..		
Kamarhati †															
Kanchrapara . . .	74	28	19.8	1	0.7	..		
Krishnagar . . .	56	157	146.6	1	2	..	12	11.2	1		
Midnapore	45	23	26.7	1	3	..	1	8	9.3	..		
Nabadwip	70	27	20.2	6	..	1	..	7	5.2	1		
Naihati	62	10	8.4	1	0.8	..		
North Barrackpore	36	1	1.5		
Panihati	65	2	1.6	1	0.8	..		
Shantipur	49	21	22.4	2	2.1	..		
Serampore	83	35	22.0	2	..	5	..	18	11.3	5		
Siliguri	44	23	27.3		
South Dum Dum .	83	2	1.3		
South Suburban .	124	6	2.5	1	2	..	4	..	14	5.9	5		
Titagarh	78	32	21.5	10	..	2	..	12	8.0	4		
TOTAL	5,352	2,041	19.8	1	1	..	78	64	202	4	910	8.8	238		

West Bengal*for w/e 25-2-56*

Asansol†														
Baidyabati	.	.	33	9	14.3	3	4.8	2
Bally	.	.	66	8	6.3
Bankura	.	.	50	53	55.4	2	2.1	..
Bansberia†														
Baranagar	.	.	90	34	19.8	1	3	..	13	7.6	2
Basirhat	.	.	39	8	10.7	3	4.0	..
Berhampur	.	.	64	50	48.8	2	..	1	13	10.6	1
Bhadreshwar	.	.	34	5	17.7	2	3.1	..
Bhatpara	.	.	143	19	6.9	5	..	4	2	26	9.5
Budge-Budge	.	.	32	14	22.9	1	1.6	..
Burdwan	.	.	82	19	12.1	1	1	1	12	7.7	..

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates

†Figures not available.

Explanation of symbols used :—B. = Births; B.R. = Birth Rate; C. = Cholera; S. = Smallpox; P. = Plague; F. = Fevers; D.D. = Dysentery and Diarrhoea; R.D. = Respiratory Diseases; M.D. = Maternal Deaths; D.R. = Death Rate; I.D. = Infantile Death (included in total deaths); .. = Nil Information.

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 17th March 1956—*contd.*

Town	Mid-year Popn.-Est. (000)	Deaths from :—											D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total			
West Bengal—contd.														
Calcutta . . .	2,984	1,187	20·8	..	3	..	33	39	145	..	586	10·3	151	
Chmpani . . .	41	18	23·0	4	5·1	..	
Cooch-Behar†														
Darjeeling . . .	38	10	13·8	4	..	1	..	7	9·6	..	
English-Bazar . . .	36	24	34·9	1	..	6	8·7	..	
Graden Reach . . .	124	11	4·6	3	..	1	..	9	3·8	1	
Halisahar . . .	41	2	2·6	1	1·3	..	
Hoogly-Chinsurah . . .	60	80	69·7	1	..	2	..	12	10·5	..	
Howrah . . .	477	169	18·5	6	6	33	1	104	11·4	29	
Jalpaiguri . . .	49	39	41·6	3	6	6·4	..	
Kamarhati†														
Kanchrapara . . .	74	3	2·1	2	1·4	..	
Krishnagar†														
Midnapore . . .	45	14	16·3	3	1	..	1	10	11·6	..	
Nabadwip . . .	70	21	15·7	9	1	1	..	12	9·0	..	
Naihati . . .	62	5	4·2	1	0·8	..	
North Barrackpore . . .	36	2	2·9	1	..	1	..	2	2·9	..	
Panihati . . .	65	3	2·4	
Shantipur . . .	49	18	19·2	
Serampore . . .	83	34	21·4	2	1	1	..	11	6·9	3	
Siliguri . . .	44	26	30·9	
South Dum Dum . . .	83	2	1·3	1	..	1	0·6	..	
South Suburban . . .	124	42	17·7	1	1	2	..	10	4·2	2	
Titagarh . . .	78	32	21·5	10	..	5	..	16	10·7	..	
TOTAL . . .	5,296	1,961	19·3	..	3	..	85	53	200	4	875	8·6	191	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever, D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths included in total deaths) ; ..—Nil Information.

REMARKS

The figures of births and deaths shown in this statement for week ending the 17th March, 1956, relate to 183 towns with an estimated population of 23,311 thousands. The total number of towns is 317 and their population is 41,516 thousands. Thus 58% of the total number of towns representing 56% of the total population is covered in this statement. The number of births and deaths recorded in these towns were 14,440 and 5,446 representing birth and death rates of 32.2 and 12.1 per thousand of population respectively.

(a) States (Part A and C).—The data here relate to 142 towns with an estimated population of 17,224 thousands. Information about Assam, Bhopal, Bombay, Madhya Pradesh, and West Bengal could not be included. The total number of towns is 252 and their population is 33,432 thousands. Thus 56% of the total number of towns representing 52% of the total popula-

tion is covered. The numbers of births and deaths recorded in these towns were 11,534 and 4,364 representing birth rates and death rates of 34.8 and 13.2 per thousand of population respectively. The table at the end gives the position by States.

No town recorded a high death rate of 50 or over per thousand of population.

(b) States (Part B).—The data here relate to 41 towns with an estimated population of 6,087 thousands. The total number of towns is 65 and their population is 8,084 thousands. Thus 63% of the total number of towns representing 75% of the total population is covered. The number of births and deaths recorded in these towns were 2,906 and 1,082 representing birth and death rates of 24.8 and 9.2 per thousand of population respectively. No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 17-3-56		Corresponding w/e last year		Corresponding mean during the previous 5-year period	
	B.R.	D.R.	B.R.	D.R.	B.R.	D.R.
Ajmer	24.5	11.1	†	†	24.2	13.9
Andhra	30.9	15.8	23.6	12.1	†	†
Bihar	15.6	6.5	32.3	12.4	14.2	7.9
Delhi	28.0	6.7	23.6	6.3	24.2	7.4
Madras	43.7	19.2	35.3	16.7	†	†
Orissa	55.9	14.8	94.3	17.8	44.9	19.3
Punjab (I)	38.6	7.5	32.3	7.2	26.5	8.1
Uttar Pradesh	33.7	12.2	26.4	13.0	26.5	14.0
India*	34.8	13.2	28.2	12.0	27.4	13.9

* 6 Part "A" States and 2 Part "C" States

† Figures not available.

NEW DELHI-2 (INDIA) ; }
The 9th April, 1956. }

K. MITRA,
for Registrar General, India.